

**RETAIL FOOD ESTABLISHMENT
INSPECTION REPORT**
State Form 48669 (R2/2-05)
SDH Form 51-0001

**GRANT COUNTY HEALTH DEPT.
FOOD DIVISION
401 SOUTH ADAMS STREET
MARION, IN 46953**

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.


Establishment Name SWAYZEE BAR & GRILL	Telephone Number 765	Date of Inspection (mm/dd/yr) 4-12-17	ID # 27
Establishment Address (number and street, city, state, ZIP code) 202 S. WASHINGTON ST. SWAYZEE	() Owner		
Owner DAVE MUMAW	Purpose: 1. Routine <input checked="" type="checkbox"/>	Follow-up YES	Release Date 4-22-17
Owner's Address 3099 W BOW KOKOMO	2. Follow-up	Summary of Violations: C 4 NC 7 R 1	
Person in Charge ARON WALKER	3. Complaint <input checked="" type="checkbox"/>		
Responsible Person's E-mail N/A	4. Pre-Operational	Menu Type (See back of page)	
Certified Food Handler	5. Temporary	1 2 3 <input checked="" type="checkbox"/> 4 5	
	6. HACCP		
	7. Other (list) OPERATING WITHOUT LIC.		

- CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
- VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
173	C		One package of raw pork was being stored above cooked BBQ beef.	corrected today
191	C		One container of coleslaw, two containers of cooked beans, and four containers of cooked BBQ beef had no date mark.	Today
291	NC		No test kit ^(was) found at establishment during the inspection.	Today
234	NC		Two packages of plastic plates were being stored on the floor in the storage room.	corrected today
245	NC		Two wiping cloths were not being stored in sanitizer solution.	corrected today
410	NC		one row of lights in the kitchen	"cont pg 2"

Received by (name and title printed): Aaron Walker	Inspected by (name and title printed): R Dale Carr FSD / TRACI LITTLE FSD
Received by (signature): 	Inspected by (signature):
cc:	cc:

NARRATIVE REPORT

Establishment Name			Address	Inspection Date
SWAYZEE BAR & GRILL			202 S. WASHINGTON ST. SWAYZEE	4-12-17
Section#	C/NC	R	REMARKS	TO BE CORRECTED BY
410	NC		and storage area were not shielded. +/- 12 lights	2 days
430	NC		The floor in the kitchen was noted to be damaged. ALSO - hole in the wall in the furnace room. THIS WAS TO BE DONE PER OPENING INSPECTION DATED 5-5-16 AND SIGNED BY DAVID MUMAW OWNER of building	30 days
408	NC		MANAGER / PUT IN EXTRA DEEP FRYERS AND REMOVED FLAT PLATE GRILL FROM UNDER HOOD SYSTEM, DEEP FRYER NEEDS REMOVED AND FLAT PLATE PUT BACK UNDER HOOD AS BEFORE. OTHER WISE A LARGER HOOD IS NEEDED OR ADD ANOTHER HOOD AND INSTALL PER CODE IAC 410 7-24 WITH PLANS SUBMITTED TO GCHD PRIOR	TODAY
345	C		THE HANDSINK HAS FOOD DEBRIS ON LEDGE AND INSIDE SINK	TODAY
347	NC		THE HANDSINK DOESNT HAVE HANDTOWELS OR OTHER DRYING PROVISIONS	TODAY
110	C		THIS FACILITY IS OPERATING WITHOUT A VALID LICENSE. THIS OWNER IS LEASING Building from owner of, LICENSE DO NOT TRANSFER. AARON WALKER STATED HE WILL GET LICENSE 4-13-17 AT 9AM OR SUBJECT TO	BEING CLOSED
NOTE	XX		THE OUTDOOR GRILLING CANNOT BE USED AS A PERMANENT PIECE OF EQUIPMENT UNLESS A STRUCTURE CAN BE CONSTRUCTED AS PER CODE IAC 410-7-24 ALSO IF THIS FACILITY USES OUTDOOR GRILL AT FAIRS / FESTIVALS ECT. TO ADDITIONAL FOODS CANNOT BE BROUGHT BACK AND SOLD AT THIS FACILITY	XX
Received By (Name & Title)			Inspected By (Name & Title)	
			RAELOW FSTO / TRAI LITTLE FSTO	